



Marine Warehouse
2330 NW 102 Avenue, Suite 1
Doral, FL 33172
USA
Tel: (305) 635-0776
sales@marinewarehouse.net

Isotherm CRUISE 85 CLEAN TOUCH Stainless Steel Refrigerator/Freezer

The Isotherm Cruise 85 Clean Touch Stainless Steel is the latest development in the Cruise Elegance line. The new Isotherm Clean Touch stainless steel is specially treated to remain clean to the touch and resist the rigors of the marine environment.



The Clean Touch has excellent scratch and abrasion resistance as well as resistance to stains.

As the premier marine refrigeration brand, the Isotherm Clean Touch provides excellent resistance to salt spray, sun, heat, UV, and condensation in the marine environment.

Like the original Elegance doors, the new Isotherm Clean Touch door is thicker than traditional doors which results in lower power consumption, greater energy efficiency, and superior performance. The wider, more ergonomic, center handle and door design allow for easy swing change from right to left swing

Your Advantages:

- Built-in, silent, high efficient, fan cooled 12/24V Danfoss BD35F compressor
- Easy fit installation solutions
- Extra thick door's insulation for low power consumption
- Center Door Handle
- Easy Left or Right Swing Change



Available Models:

- C085RNGIT11111AA - Cruise 85 Clean Touch Stainless Steel - 12/24 VDC Only, 4 Sided Stainless Steel Flange
- C085RNGIT71113AA - Cruise 85 Clean Touch Stainless Steel - 110/220 VAC & 12/24 VDC, 4 Sided Stainless Steel Flange

Technical Details:


- Volume: 85 liters (3 cuft)
- Dimensions: 24.7H x 19.5W x 21.7D
- Power Consumption: 368W/24hr
- Weight: 53 Lbs

Shipping Details:

- Shipping Weight: 53 + 10 Lbs
- Shipping Dimensions: 26L x 26W x 26H
- Country Of Origin: Italy
- NMFC: 83150 - Class: 150
- Tariff Code: 8421.21.0000
- Ships By: UPS/FedEx/LTL/LCL





Marine Warehouse

Miami - Trinidad - Panama - Grenada - Tahiti - Curacao - Bonaire - Aruba - St Maarten - Colombia - Langkawi - Nuku-Hiva - Raiatea



TUTTI I MATERIALI COMPONENTI NON DEVONO CONTERNE PIOMBO, MERCURIO, CADMIO, CROMO ESVALENTE, SPINELLI POLICROMATI (PNS) O ITRER DI DIFFIBILE POLICROMATO (PRED).
(Decreto 2002/95/CE del Parlamento Europeo e del Consiglio del 23 gennaio 2003)

CRUISE 85 CLEAN TOUCH		Mod.		Colore	
DENTRO LAZIICHE		Materiale		Stato/Unite	
ISO 2768 - M		CENFCA		Peso	
				Codice	
Via dell'Industria 11 - 41018 Spilimbergo (PD)		Via del Lavoro 10 - 41018 Spilimbergo (PD)		1:10	
(Disegno eseguito con CAD secondo la modifica manuale)		CODICE		A.3	
A termini di legge ci riserviamo la proprietà di questo disegno con diritto di riproduzione senza la nostra autorizzazione					



TUTTI I MATERIALI E COMPONENTI NON DEVONO CONTENERE PIOMBO, MERCURIO, CADMIO, CROMO ESAVALENTE, BIFENILI POLIBROMURATI (PBB) O ETER DI DIFENILE POLIBROMURATO (PBDE).
(Direttiva 2002/95/CE del Parlamento Europeo e del Consiglio del 23 gennaio 2003)

Pos.	DENOMINAZIONE	Q	Materiale	Stato/Unific.	Peso	Codice
Tolleranze generali		Caratteristiche speciali da F295		Disegnato	Data	Scala
ISO 2768 - m		CRITICA				1:10
		IMPORTANTE				
		Via dei Ronchi, 11 - 47866 Sant'Agata Feltria (RN) Tel. +39 0541 848 000-Fax +39 0541 848 543				
		Disegno eseguito con CAD vietata la modifica manuale				CODICE
A termini di legge ci riserviamo la proprietà di questo disegno con divieto di riproduzione senza la nostra autorizzazione						

E.C. MODIFICHE Data Dis.

F

A3