


Gas Cylinders

New integrated systems allow later upgrades to full detection systems and multiple detector installations.

Composite Cylinders / Visible Gas Level

High strength, Composite LPG Cylinders are light weight and maintenance free. A special fiberglass construction allows you to see the level of propane in the cylinder. They are just what recreational and commercial boaters need to end unsightly and dangerous rust and corrosion. Manufactured to D.O.T. and T.C specifications. Dimensions are approximate.









| | |
|-----------------|------------------|
| LP Gas Capacity | 2.5 gallons (LP) |
| Water Capacity | 27.5 lbs. |
| Tare Weight | 7.48 lbs. |
| Volume | 726 cu. in. |
| Collar Height | 3.4 in. |

| | |
|-----------------|------------------|
| LP Gas Capacity | 4.2 gallons (LP) |
| Water Capacity | 40.4 lbs. |
| Tare Weight | 9 lbs. |
| Volume | 1260 cu. in. |
| Collar Height | 3.7 in. |

Aluminum Cylinders / Rust Free

High strength, brushed Aluminum LPG Cylinders are light weight and maintenance free. They are just what recreational and commercial boaters need to end unsightly and dangerous rust and corrosion. Manufactured to D.O.T. specifications. Dimensions are approximate. For your safety all cylinders are shipped with plastic valve cover attached.


| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|------------------|------------------|----------------|-----------|-------------|----------|--------|-------------|---------------|---------|--|-----------------|------------------|----------------|-----------|-------------|-----------|--------|-------------|---------------|---------|--|-----------------|------------------|----------------|-----------|-------------|-----------|--------|-------------|---------------|---------|
| <p style="text-align: center;">#1410-0006</p>  <p style="text-align: center;">6 lb.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>LP Gas Capacity</td><td>1.4 gallons (LP)</td></tr> <tr><td>Water Capacity</td><td>15.0 lbs.</td></tr> <tr><td>Tare Weight</td><td>8.0 lbs.</td></tr> <tr><td>Volume</td><td>416 cu. in.</td></tr> <tr><td>Collar Height</td><td>6.5 in.</td></tr> </table> | LP Gas Capacity | 1.4 gallons (LP) | Water Capacity | 15.0 lbs. | Tare Weight | 8.0 lbs. | Volume | 416 cu. in. | Collar Height | 6.5 in. | <p style="text-align: center;">#1410-0010</p>  <p style="text-align: center;">10 lb.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>LP Gas Capacity</td><td>2.4 gallons (LP)</td></tr> <tr><td>Water Capacity</td><td>23.8 lbs.</td></tr> <tr><td>Tare Weight</td><td>10.0 lbs.</td></tr> <tr><td>Volume</td><td>660 cu. in.</td></tr> <tr><td>Collar Height</td><td>5.5 in.</td></tr> </table> | LP Gas Capacity | 2.4 gallons (LP) | Water Capacity | 23.8 lbs. | Tare Weight | 10.0 lbs. | Volume | 660 cu. in. | Collar Height | 5.5 in. | <p style="text-align: center;">#1410-0010H</p>  <p style="text-align: center;">10 lb. (horizontal)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>LP Gas Capacity</td><td>2.4 gallons (LP)</td></tr> <tr><td>Water Capacity</td><td>23.8 lbs.</td></tr> <tr><td>Tare Weight</td><td>10.0 lbs.</td></tr> <tr><td>Volume</td><td>660 cu. in.</td></tr> <tr><td>Collar Height</td><td>5.5 in.</td></tr> </table> | LP Gas Capacity | 2.4 gallons (LP) | Water Capacity | 23.8 lbs. | Tare Weight | 10.0 lbs. | Volume | 660 cu. in. | Collar Height | 5.5 in. |
| LP Gas Capacity | 1.4 gallons (LP) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Capacity | 15.0 lbs. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tare Weight | 8.0 lbs. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Volume | 416 cu. in. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Collar Height | 6.5 in. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LP Gas Capacity | 2.4 gallons (LP) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Capacity | 23.8 lbs. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tare Weight | 10.0 lbs. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Volume | 660 cu. in. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Collar Height | 5.5 in. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LP Gas Capacity | 2.4 gallons (LP) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Capacity | 23.8 lbs. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tare Weight | 10.0 lbs. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Volume | 660 cu. in. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Collar Height | 5.5 in. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|-----------------|----------------|----------------|-----------|-------------|-----------|--------|--------------|---------------|---------|---|-----------------|----------------|----------------|-----------|-------------|-----------|--------|--------------|---------------|---------|---|-----------------|----------------|----------------|-----------|-------------|-----------|--------|--------------|---------------|---------|
| <p style="text-align: center;">#1410-0020</p>  <p style="text-align: center;">20 lb.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>LP Gas Capacity</td><td>5 gallons (LP)</td></tr> <tr><td>Water Capacity</td><td>47.7 lbs.</td></tr> <tr><td>Tare Weight</td><td>14.5 lbs.</td></tr> <tr><td>Volume</td><td>1323 cu. in.</td></tr> <tr><td>Collar Height</td><td>5.5 in.</td></tr> </table> | LP Gas Capacity | 5 gallons (LP) | Water Capacity | 47.7 lbs. | Tare Weight | 14.5 lbs. | Volume | 1323 cu. in. | Collar Height | 5.5 in. | <p style="text-align: center;">#1410-0020H</p>  <p style="text-align: center;">20 lb. (horizontal)</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>LP Gas Capacity</td><td>5 gallons (LP)</td></tr> <tr><td>Water Capacity</td><td>47.7 lbs.</td></tr> <tr><td>Tare Weight</td><td>14.5 lbs.</td></tr> <tr><td>Volume</td><td>1323 cu. in.</td></tr> <tr><td>Collar Height</td><td>5.5 in.</td></tr> </table> | LP Gas Capacity | 5 gallons (LP) | Water Capacity | 47.7 lbs. | Tare Weight | 14.5 lbs. | Volume | 1323 cu. in. | Collar Height | 5.5 in. | <p style="text-align: center;">#1410-0030</p>  <p style="text-align: center;">30 lb.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>LP Gas Capacity</td><td>7 gallons (LP)</td></tr> <tr><td>Water Capacity</td><td>71.5 lbs.</td></tr> <tr><td>Tare Weight</td><td>16.5 lbs.</td></tr> <tr><td>Volume</td><td>1983 cu. in.</td></tr> <tr><td>Collar Height</td><td>5.5 in.</td></tr> </table> | LP Gas Capacity | 7 gallons (LP) | Water Capacity | 71.5 lbs. | Tare Weight | 16.5 lbs. | Volume | 1983 cu. in. | Collar Height | 5.5 in. |
| LP Gas Capacity | 5 gallons (LP) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Capacity | 47.7 lbs. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tare Weight | 14.5 lbs. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Volume | 1323 cu. in. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Collar Height | 5.5 in. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LP Gas Capacity | 5 gallons (LP) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Capacity | 47.7 lbs. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tare Weight | 14.5 lbs. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Volume | 1323 cu. in. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Collar Height | 5.5 in. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LP Gas Capacity | 7 gallons (LP) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Water Capacity | 71.5 lbs. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Tare Weight | 16.5 lbs. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Volume | 1983 cu. in. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Collar Height | 5.5 in. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Steel Cylinders / Cost Effective


High quality, cost effective steel LPG Cylinders are air tested, steel shot blasted, primed and electrostatically painted (20# Cylinder has baked on enamel). Manufactured to D.O.T. specifications. Dimensions are approximate. For safety, all cylinders are shipped with plastic valve cover attached. Additional sizes are available: 40, 60, 100, 200 and 240 cylinders. 40# available in horizontal. 40, 200 and 420 available with Quantity Gauge.

#1400-0005




5 lb.

#1400-0011T




11 lb.

#1400-0011




11 lb.

#1400-0020



20 lb.

#1400-0030



30 lb.

| | | | | | | | | | |
|-------------------|------------------|-------------------|------------------|-------------------|------------------|-------------------|------------------|-------------------|------------------|
| LP Gas Capacity | 1.0 gallons (LP) | LP Gas Capacity | 2.5 gallons (LP) | LP Gas Capacity | 2.4 gallons (LP) | LP Gas Capacity | 5.0 gallons (LP) | LP Gas Capacity | 7.0 gallons (LP) |
| Water Capacity | 12.5 lbs. | Water Capacity | 26.1 lbs. | Water Capacity | 26.0 lbs. | Water Capacity | 47.7 lbs. | Water Capacity | 72 lbs. |
| Tare Weight | 9.5 lbs. | Tare Weight | 14.0 lbs. | Tare Weight | 13.0 lbs. | Tare Weight | 19.0 lbs. | Tare Weight | 25.5 lbs. |
| Volume | 330 cu. in. | Volume | 725 cu. in. | Volume | 726 cu. in. | Volume | 1323 cu. in. | Volume | 1983 cu. in. |
| Collar Height | 3.7 in. | Collar Height | 3.75 in. | Collar Height | 4.0 in. | Collar Height | 4.0 in. | Collar Height | 4.0 in. |
| Foot ring dia o/s | 6.0 in. | Foot ring dia o/s | 7.125 in. | Foot ring dia o/s | 8.0 in. | Foot ring dia o/s | 8.0 in. | Foot ring dia o/s | 8.0 in. |